Product Specifications



POWERED BY





F4PDMV2 7-16 DIN Male for 1/2 in cable

General Specifications

Interface 7-16 DIN Male
Body Style Straight
Brand HELIAX®
Mounting Angle Straight

Electrical Specifications

Connector Impedance 50 ohm

Operating Frequency Band 0 – 7500 MHz

Cable Impedance 50 ohm

3rd Order IMD, typical -120 dBm @ 910 MHz 3rd Order IMD Test Method Two +43 dBm carriers

RF Operating Voltage, maximum (vrms) 884.00 V
dc Test Voltage 2500 V
Outer Contact Resistance, maximum 1.50 mOhm
Inner Contact Resistance, maximum 0.80 mOhm
Insulation Resistance, minimum 5000 MOhm

Average Power 1.0 kW @ 900 MHz

Peak Power, maximum 15.60 kW Insertion Loss, typical 0.05 dB Shielding Effectiveness -110 dB

Product Specifications




F4PDMV2

POWERED BY



Outline Drawing



Mechanical Specifications

Outer Contact Attachment Method Crush-flare Solder Inner Contact Attachment Method Outer Contact Plating Trimetal Inner Contact Plating Silver Attachment Durability 25 cycles Interface Durability 500 cycles Interface Durability Method IEC 61169-4:9.5 Connector Retention Tensile Force 890 N | 200 lbf Connector Retention Torque 5.42 N-m | 48.00 in lb

Pressurizable No.

Coupling Nut Proof Torque 24.86 N-m | 220.00 in lb Coupling Nut Retention Force 1000.85 N | 225.00 lbf Coupling Nut Retention Force Method MIL-C-39012C-3.25, 4.6.22

Dimensions

Nominal Size 1/2 in

Product Specifications



F4PDMV2

POWERED BY



Environmental Specifications

Operating Temperature -55 °C to +85 °C (-67 °F to +185 °F) -55 °C to +85 °C (-67 °F to +185 °F) Storage Temperature

Immersion Depth 1 m **Immersion Test Mating** Mated

Immersion Test Method IEC 60529:2001, IP68

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66 MIL-STD-202F, Method 106F Moisture Resistance Test Method

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Thermal Shock Test Method MIL-STD-202, Method 107, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method MIL-STD-202F, Method 204D, Test Condition B Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Standard Conditions

Attenuation, Ambient Temperature 20 °C | 68 °F Average Power, Ambient Temperature 40 °C | 104 °F

Regulatory Compliance/Certifications

Agency

RoHS 2011/65/EU

China RoHS SJ/T 11364-2006

ISO 9001:2008

Classification

Compliant by Exemption

Above Maximum Concentration Value (MCV)

Designed, manufactured and/or distributed under this quality management system





* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

Insertion Loss, typical 0.05v freq (GHz) (not applicable for elliptical waveguide)