

equiP® Camera Mounts

Minidome and Bullet Camera Accessories
HD4CHIP-WK2/HD4CHIP-PK2/HB4G-PM/
HB34G-CM/HD3-MK2/HBG-BB

Honeywell is taking quality and reliability to the next level with these equiP® mounts and accessories. The Honeywell fixed minidome and bullet camera mounts can be used to install the latest range of IR IP cameras in the equiP® range to a variety of surfaces. They provide a wide range of mounting options—to walls, ceilings, poles, and a variety of indoor and outdoor surfaces—and they look great too!

The simple, solid design of these mounts is an installer's first choice for ease of installation. All of the mounts provide easy cable routing and the camera and lens can be installed, adjusted, and tested without repositioning the housing.

The outdoor mounts feature die-cast aluminum or galvanized steel construction. The indoor mounts use a polycarbonate construction to match the indoor dome material. All the mounts have an off-white powder coating finish that exactly matches the cameras' finish.

Market Opportunities

Honeywell's equiP® range of mounts and accessories provide performance and strength you can depend on. The attractive design, impact-resistant construction, and range of mounting options make these mounts the best solution for all of your indoor and outdoor fixed minidome and bullet camera applications.



HB4G-PM



HB34G-CM



HD3-MK2



HD4CHIP-WK2



HD4CHIP-PK2










HBG-BB

FEATURES & BENEFITS

FEATURES	LOW PROFILE, CONTEMPORARY DESIGN	ECONOMICALLY PRICED	EASY CABLE FEED-THROUGH	CONCEALED WIRING	DIE-CAST ALUMINUM CONSTRUCTION	POLYCARBONATE CONSTRUCTION	SECC CONSTRUCTION	OFF-WHITE POWDER FINISH	GRAY POWDER FINISH	INDOOR	INDOOR/ OUTDOOR
HD3-MK2	✓	✓	✓	✓		✓		✓		✓	
HD4CHIP-PK2	✓	✓	✓	✓	✓			✓			✓
HD4CHIP-WK2	✓	✓	✓	✓	✓			✓			✓
HB34G-CM	✓	✓	✓	✓			✓	✓			✓
HB4G-PM	✓	✓	✓	✓			✓	✓			✓
HBG-BB	✓	✓	✓	✓	✓				✓		✓

equiP® Camera Mounts Dimensions



equiP® Camera Mounts

Technical Specifications

MECHANICAL			
MODEL NO.	WEIGHT	CONSTRUCTION/ FINISH	DIMENSIONS
HD3-MK2	0.08 kg (0.18 lb.)	Polycarbonate/White powder coating	97.0 mm x 154.0 mm x 121.0 mm (3.82" x 6.06" x 4.76")
HD4CHIP-PK2	0.61 kg (1.34 lb.)	Die-cast aluminum/White powder coating	139.3 mm x 215.9 mm x 118.0 mm (5.48" x 8.5" x 4.65")
HD4CHIP-WK2	0.37 kg (0.82 lb.)	Die-cast aluminum/White powder coating	46.2 mm x 164.7 mm (1.82" x 6.49")
HB34G-CM	0.93 kg (2.05 lb.)	SECC/White powder coating	130.4 mm x 170.0 mm x 45.0 mm (5.1" x 6.7" x 1.8")
HB4G-PM	1.7 kg (3.7 lb.)	SECC/White powder coating	170.0 mm x 243.0 mm x 138.0 mm (6.7" x 9.6" x 5.4")
HBG-BB	0.31 kg (0.67lb.)	Die-cast aluminum/Gray powder coating	109.0 mm x 41.0 mm (4.29" x 1.61")

INDOOR INSTALLATIONS	
Indoor Wall Mount	H3W2GR1/ H3W2GR2 /H3W4GR1 + HD3-MK2
OUTDOOR INSTALLATIONS	
Outdoor Corner Mount	H4W2GR1/H4W2GR2/ H4L2GR1/ H4W4GR1 + HD4CHIP-WK2 + HB34G-CM
Outdoor Pole Mount	H4W2GR1/H4W2GR2/ H4L2GR1/ H4W4GR1 + HD4CHIP-WK2 + HB4G-PM
Outdoor Bullet Camera Mount	HBW2GR1/ HBW2GR3/ HBL2GR1/ HBW4GR1 + HBG-BB
Outdoor Wall Mount	H4W2GR1/H4W2GR2/ H4L2GR1/ H4W4GR1 + HD4CHIP-WK2
Outdoor Pendant Mount	H4W2GR1/H4W2GR2/ H4L2GR1/ H4W4GR1 + HD4CHIP-PK2
Bullet Pole Mount	HBW2GR1/HBW2GR3/HBL2GR1/HBW4GR1 + HBG-BB + HB4G-PM HBW2GR1/HBW2GR3/HBL2GR1/HBW4GR1 + HB4G-PM
Bullet Corner Mount	HBW2GR1/HBW2GR3/HBL2GR1/HBW4GR1 + HBG-BB + HB34G-CM HBW2GR1/HBW2GR3/HBL2GR1/HBW4GR1 + HB34G-CM

ORDERING

HD4CHIP-WK2	Wall Mount Bracket
HD4CHIP-PK2	Pendant Mount Bracket
HB34G-CM	Corner Mount Adapter
HD3-MK2	Indoor Wall Mount Bracket
HBG-BB	Bullet Camera Back Box
HB4G-PM	Pole Mount Adapter

For more information

www.honeywell.com/security/me

Honeywell Security and Fire

Emaar Business Park
Sheikh Zayed Road Building No. 2
3rd Floor, Office No. 301
Post Office Box 232362, Dubai
United Arab Emirates
Tel: +971 4 450 5800
Fax: +971 4 450 5900
www.honeywell.com

HSFV-equiPMounts-01-ME(0816)DS-E
August 2016
© 2016 Honeywell International Inc.

Honeywell